CANADIAN JOURNAL OF CIVIL ENGINEERING/REVUE CANADIENNE DE GENIE CIVIL
VOLUME 4, 1977

AUTHOR INDEX/REPERTOIRE DES AUTEURS

Abdulezer, A. *See* Zielinski, Z. A.
Adamowski, K., and Middleton, A. C. Steady-state dissolved oxygen model for the Rideau River, 471–481.
Allen, D. E. Commentary on the basic philosophy and recent development of safety margins: Discussion, 283–285.
Associate Committee on the National Building Code (NRCC). Commentary on the design of glass (draft for public comment), 271–277.
Aziz, E. M. Computer programs for structural analysis and design—a Canadian view: Discussion, 491.
Aziz, T. S. A manual method for the elastic analysis of wide cantilever slabs of linearly varying thickness: Discussion, 493, 494.
Badawy, H. *See* Sargious, M.
Bakht, B., and Csagoly, P. F. Strengthening and widening of steel pony truss bridges, 214–225.
Bakht, B., and Holland, D. A. A manual method for the elastic analysis of wide cantilever slabs of linearly varying thickness: Reply, 495.
Barrett, J. D., and Foschi, R. O. Shear strength of uniformly loaded dimension lumber, 86–95.
Barrett, J. D. *See* Foschi, R. O.
Berard, J., and Lapierre, N. Réactivités aux alcalis du grès de Potsdam dans les bétons, 332–344.
Bergmann, R. *See* Tso, W. K.
Brady, F. J. *See* Korol, R. M.
Cherian, V., and Sargious, M. A. A multinomial logit approach for multimodal choice of work trips, 10–17.
Colbeck, S. C. Roof loads resulting from rain on snow: results of a physical model, 482–490.
Collins, R. A. *See* Firmin, A.
Constable, T. W., and McBean, E. A. Bayesian model discrimination for BOD analyses, 371–379.
Constable, T. W., and McBean, E. A. Parameter estimation for the first-order BOD equation using nonlinear techniques, 462–470.
Cowley, J. E., Hayden, J. W., and Willis, W. W. A model study of St. Marys River ice navigation, 380–391.
Csagoly, P. F. *See* Bakht, B.
Culham, G. A., and Ghali, A. Distribution of wheel loads on bridge girders, 57–65.
Curran, J. H., and Wright, P. M. Toward automated elastic design of skeletal structures using computer graphics: Reply, 117–118.
Davenport, A. G. *See* Surry, D.
Dimentberg, M. Mathematical modelling for optimizing bridge costs: Discussion, 278.
Dorton, R. A., Holowka, M., and King, J. P. C. The Conestogo River Bridge—design and testing, 18–39.
El-Fitiany, F. A. *See* Ruus, E.
El-Jabi, N. *See* Rousselle, J.
El-Zanaty, M. *See* Korol, R. M.
Farah, A., Ibrahim, I. M., and Green, R. Damping of floor vibrations by constrained viscoelastic layers, 405–411.
Fereig, S. M. *See* Smith, K. N.
Firmin, A., Gilmor, M. I., and Collins, R. A. Computer programs for structural analysis and design—a Canadian view, 72–85.
Firmin, A., Gilmor, M. I., and Collins, R. A. Computer programs for structural analysis and design—a Canadian view: Reply, 492, 493.
Foschi, R. O. Analysis of wood diaphragms and trusses. Part I: Diaphragms, 345–352.
Foschi, R. O. Analysis of wood diaphragms and trusses. Part II: Truss-plate connections, 353–362.
Foschi, R. O. *See* Barrett, J. D.
Foschi, R. O., and Barrett, J. D. Longitudinal shear in wood beams: a design method, 363–370.
Fujino, Y., and Nowak, A. S. Commentary on the basic philosophy and recent development of safety margins: Discussion, 285–287.
Galambos, T. V., and Ravindra, M. K. The basis for load and resistance factor design criteria of steel building structures, 178–189.
Ghali, A. *See* Culham, G. A.
Ghosh, R. S. Strengthening of slender hollow steel columns by filling with concrete, 127–133.
Gilmor, M. I. Toward automated elastic design of skeletal structures using computer graphics: Discussion, 117.

Gilmor, M. I. *See* Firmin, A.
Gilmor, M. I. *See* Kennedy, D. J. L.
Giroux, Y.-M., and Picard, A. Rigid framing connections for tubular columns, 134–144.
Grainge, J. Impact of community planning on quality of life in the North, 436–444.
Green, R. *See* Farah, A.
Gysi, M., and Lamb, G. An example of excess urban water consumption, 66–71.
Handa, S. K. Computer programs for structural analysis and design—a Canadian view: Discussion, 491, 492.
Hanley, T. O'D., and Michel, B. Laboratory formation of border ice and frazil slush, 153–160.
Harman, D. J. Structural analysis using a basic frontal method, 392–403.
Hayden, J. W. *See* Cowley, J. E.
Hodgins, D. B., Wisner, P. E., and McBean, E. A. A simulation model for screening a system of reservoirs for environmental impact, 1–9.
Hogarth, L. N. The conception, design, and construction of Metropolitan Toronto mid-Toronto interceptor sewer, 47–56.
Holland, D. A. *See* Bakht, B.
Holowka, M. *See* Dorton, R. A.
Ibrahim, I. M. *See* Farah, A.
Isyumov, N., and Mikitiuk, M. Climatology of snowfall and related meteorological variables with application to roof snow load specifications, 240–256.
Kennedy, D. J. L., and Gilmor, M. I. Commentary on the basic philosophy and recent development of safety margins: Discussion, 280–282.
King, J. P. C. *See* Dorton, R. A.
Kitchen, R. B. *See* Surry, D.
Knoll, F. Commentary on the basic philosophy and recent development of safety margins: Reply, 289–292.
Koers, D. A. *See* Mavinic, D. S.
Korol, R. M., El-Zanaty, M., and Brady, F. J. Unequal width connections of square hollow sections in Vierendeel trusses, 190–201.
Kurian, V. J. *See* Pillai, S. U.
Lamb, G. *See* Gysi, M.
Lampert, P. Selection of concrete bridge systems, 314–331.
Lapierre, N. *See* Berard, J.
Lie, T. T. A method for assessing the fire resistance of laminated timber beams and columns, 161–169.
Lind, N. C. Commentary on the basic philosophy and recent development of safety margins: Discussion, 287–289.
McBean, E. A. *See* Constable, T. W.
McBean, E. A. *See* Hodgins, D. B.
Mavinic, D. S., and Koers, D. A. Aerobic sludge digestion at cold temperatures, 445–454.
Michel, B. *See* Hanley, T. O'D.
Middleton, A. C. *See* Adamowski, K.
Mikitiuk, M. *See* Isyumov, N.
Mindess, S. The fracture of wood in tension parallel to the grain, 412–416.
Nowak, A. S. *See* Fujino, Y.
Otani, S., and Uzumeri, S. M. Dynamic analysis of an unsymmetrical high rise building: Discussion, 118–121.
Picard, A. *See* Giroux, Y.-M.
Pillai, S. U., and Kurian, V. J. Tests on hollow structural section beam columns, 257–262.
Ravindra, M. K. *See* Galambos, T. V.
Reddy, D. V. *See* Sundararajan, C.
Rousselle, J., and El-Jabi, N. Représentation stochastique des dommages dans les plaines inondables, 170–177.
Ruus, E. Charts for water hammer in pipelines with air chambers, 293–313.
Ruus, E., and El-Fitiany, F. A. Maximum surges in simple surge tanks, 40–46.
Sargious, M., and Badawy, H. Mathematical modelling for optimizing bridge costs: Reply, 279.
Sargious, M. A. *See* Cherian, V.
Smith, A. A., and Tufgar, R. H. Planning regional network systems for minimum cost, 202–213.
Smith, K. N., and Fereig, S. M. Mechanism of shear transfer in reinforced concrete beams, 145–152.
Spurmanis, A. Unique diversion tunnel closure, 262–266.
Sundararajan, C., and Reddy, D. V. Probabilistic analysis of ice–offshore structure interaction using enveloping step function power spectral densities, 455–461.
Surry, D., Kitchen, R. B., and Davenport, A. G. Design effectiveness of wind tunnel studies for buildings of intermediate height, 96–116.

Tamburi, A. J. Seasonal salinity changes in the Fraser River Estuary: Discussion, 124.
Tso, W. K., and Bergmann, R. Dynamic analysis of an unsymmetrical high rise building: Reply, 121–124.
Tufgar, R. H. *See* Smith, A. A.
Uzumeri, S. M. *See* Otani, S.
Viraraghavan, T., and Warnock, R. G. Use of zero-tension lysimeters in septic tile investigation, 267–270.
Ward, P. R. B. Seasonal salinity changes in the Fraser River Estuary: Reply, 125.
Warnock, R. G. *See* Viraraghavan, T.
Willis, W. W. *See* Cowley, J. E.
Wisner, P. E. *See* Hodgins, D. B.
Wright, P. M. *See* Curran, J. H.
Wright, W. The use of conversational computer programs in the structural engineering office, 417–435.
Zielinski, Z. A., and Abdulezer, A. Ultimate strength in diagonal splitting of reinforced concrete thin wall panels, 226–239.

CONTENTS / SOMMAIRE

MARCH/MARS

ARTICLES:

D. B. Hodgins, P. E. Wisner, and E. A. McBean A simulation model for screening a system of reservoirs for environmental impact 1

Varghese Cherian and Michel A. Sargious A multinomial logit approach for multimodal choice of work trips 10

R. A. Dorton, M. Holowka, and J. P. C. King The Conestogo River Bridge—design and testing 18

Eugen Ruus and Farouk A. El-Fitiany Maximum surges in simple surge tanks 40

L. N. Hogarth The conception, design, and construction of Metropolitan Toronto mid-Toronto interceptor sewer 47

Gerald A. Culham and Amin Ghali Distribution of wheel loads on bridge girders 57

Marshall Gysi and Garry Lamb An example of excess urban water consumption 66

A. Firmin, M. I. Gilmor, and R. A. Collins Computer programs for structural analysis and design—a Canadian view 72

J. D. Barrett and R. O. Foschi Shear strength of uniformly loaded dimension lumber 86

David Surry, Robert B. Kitchen, and Alan G. Davenport Design effectiveness of wind tunnel studies for buildings of intermediate height 96

DISCUSSIONS:

Michael I. Gilmor Toward automated elastic design of skeletal structures using computer graphics: Discussion 117

John H. Curran and Peter M. Wright Toward automated elastic design of skeletal structures using computer graphics: Reply 117

S. Otani and S. M. Uzumeri Dynamic analysis of an unsymmetrical high rise building: Discussion 118

W. K. Tso and R. Bergmann Dynamic analysis of an unsymmetrical high rise building: Reply 121

A. J. Tamburi Seasonal salinity changes in the Fraser River Estuary: Discussion 124

Peter R. B. Ward Seasonal salinity changes in the Fraser River Estuary: Reply 125

JUNE/JUIN

ARTICLES:

Ram S. Ghosh Strengthening of slender hollow steel columns by filling with concrete 127

Y.-M. Giroux and A. Picard Rigid framing connections for tubular columns 134

K. N. Smith and S. M. Fereig Mechanism of shear transfer in reinforced concrete beams 145

T. O'D. Hanley and B. Michel Laboratory formation of border ice and frazil slush 153

T. T. Lie A method for assessing the fire resistance of laminated timber beams and columns 161

Jean Rousselle et Nassir El-Jabi Représentation stochastique des dommages dans les plaines inondables 170

T. V. Galambos and M. K. Ravindra The basis for load and resistance factor design criteria of steel building structures 178

R. M. Korol, M. El-Zanaty, and F. J. Brady Unequal width connections of square hollow sections in Vierendeel trusses 190

Alan A. Smith and Ray H. Tufgar Planning regional network systems for minimum cost 202

Baidar Bakht and Paul F. Csagoly Strengthening and widening of steel pony truss bridges 214

Z. A. Zielinski and Alfred Abdulezer Ultimate strength in diagonal splitting of reinforced concrete thin wall panels 226

N. Isyumov and M. Mikitiuk Climatology of snowfall and related meteorological variables with application to roof snow load specifications 240

NOTES:

S. Unnikrishna Pillai and V. J. Kurian Tests on hollow structural section beam columns 257

A. Spurmanis Unique diversion tunnel closure 262

T. Viraraghavan and R. G. Warnock Use of zero-tension lysimeters in septic tile investigation 267

Associate Committee on the National Building Code Commentary on the design of glass (draft for public comment) 271

DISCUSSIONS:

M. Dimentberg Mathematical modelling for optimizing bridge costs: Discussion 278

Michel Sargious and Hammouda Badawy Mathematical modelling for optimizing bridge costs: Reply 279

D. J. L. Kennedy and M. I. Gilmor Commentary on the basic philosophy and recent development of safety margins: Discussion 280
D. E. Allen Commentary on the basic philosophy and recent development of safety margins: Discussion 283
Y. Fujino and A. S. Nowak Commentary on the basic philosophy and recent development of safety margins: Discussion 285
N. C. Lind Commentary on the basic philosophy and recent development of safety margins: Discussion 287
Franz Knoll Commentary on the basic philosophy and recent development of safety margins: Reply 289

SEPTEMBER/SEPTEMBRE

ARTICLES:

Eugen Ruus Charts for water hammer in pipelines with air chambers 293
Paul Lampert Selection of concrete bridge systems 314
J. Berard et N. Lapierre Réactivités aux alcalis du grès de Potsdam dans les bétons 332
Ricardo O. Foschi Analysis of wood diaphragms and trusses. Part I: Diaphragms 345
Ricardo O. Foschi Analysis of wood diaphragms and trusses. Part II: Truss-plate connections 353
Ricardo O. Foschi and J. David Barrett Longitudinal shear in wood beams: a design method 363
Thomas W. Constable and Edward A. McBean Bayesian model discrimination for BOD analyses 371
J. E. Cowley, J. W. Hayden, and W. W. Willis A model study of St. Marys River ice navigation 380

NOTE:

D. J. Harman Structural analysis using a basic frontal method 392

DECEMBER/DECEMBRE

ARTICLES:

A. Farah, I. M. Ibrahim and R. Green Damping of floor vibrations by constrained viscoelastic layers 405
Sidney Mindess The fracture of wood in tension parallel to the grain 412
Whitman Wright The use of conversational computer programs in the structural engineering office 417
Jack Grainge Impact of community planning on quality of life in the North 436
D. S. Mavinic and D. A. Koers Aerobic sludge digestion at cold temperatures 445
C. Sundararajan and D. V. Reddy Probabilistic analysis of ice – offshore structure interaction using enveloping step function power spectral densities 455
Thomas W. Constable and Edward A. McBean Parameter estimation for the first-order BOD equation using nonlinear techniques 462
K. Adamowski and A. C. Middleton Steady-state dissolved oxygen model for the Rideau River 471

NOTES:

S. C. Colbeck Roof loads resulting from rain on snow: results of a physical model 482

DISCUSSIONS:

E. M. Aziz Computer programs for structural analysis and design — a Canadian view: Discussion 491
Sushil K. Handa Computer programs for structural analysis and design — a Canadian view: Discussion 491
A. Firmin, M. I. Gilmor, and R. A. Collins Computer programs for structural analysis and design — a Canadian view: Reply 492
Tarek S. Aziz A manual method for the elastic analysis of wide cantilever slabs of linearly varying thickness: Discussion 493
Baidar Bakht and D. A. Holland A manual method for the elastic analysis of wide cantilever slabs of linearly varying thickness: Reply 495